

GO! Aloha Stars Throw Quilt

Finished Size: 34" x 34"



*Fabrics Provided by Connecting Threads
Designed for AccuQuilt by Bea Lee of Beaquilter*

Beaquilter



Dies Needed:

GO! Prairie Star-14" Finished (55540)

GO! Strip Cutter-1-1/2" (1" Finished) (55024)

GO! Strip Cutter-2-1/2" (2" Finished) (55017 or 55014)

GO! Strip Cutter-3-1/2" (3" Finished) (55032)

Fabric Requirements:

Fabric Color	Total Yardage
8 Gradient colors from Off White to Red SOLIDS*	1/4yd of EACH (Numbered 1-8)
White	1yd
Red inner border	1/4yd
Binding Fabric	1/3yd
Batting	38" x 38"
Backing	40" x 40"

*If you are not using solids, you will need to cut 5 Right side up and 4 right side down of every other color, then 5 Right side down and 4 right side up of the alternate colors.

Cutting Directions:




Fabric Color	Die	Number of Shapes to Cut
8 Gradient Colors	Prairie Star Shape A	Cut 1—7-3/4" WOF strip (Width of Fabric). Fanfold into 6-1/2" sections and lay over 9 of shape A (row 2, 3 and part of row 4) and cut out 36 of EACH color.
White	Prairie Star Shape B	Cut 2—5" WOF strips. Fanfold into 5" sections and cut out 16—B squares.
White	Prairie Star Shape C	Cut 2—7" WOF strips. Fanfold into 4" sections and cut out 16—C triangles.
White	2 1/2" Strip cutter die	Cut 4—2-1/2" WOF strips with die.
Inner Border Red	1 1/2" Strip cutter die	Cut 4—1-1/2" WOF strips with die.

Sewing Directions:

Press all seams open and use 1/4" seams, unless otherwise indicated.

Prairie Star Block. (Make 4)

1. Follow the chart below and lay out the block pieces on your table before starting to make sure they are placed correctly and work on one star tip at a time before moving on to keep track of pieces! The colors rotate around in a clockwise motion.
2. Sew 9 A diamond shapes together following the color placement as shown.
3. Repeat with remaining star tips.
4. Sew star tips together with 4 B squares and 4 C triangles as shown pivoting with the needle down at the Y seams.



Assemble the Quilt Top

1. Lay out blocks in 2 rows of 2 blocks rotating each block 90 degrees as shown in quilt diagram. Sew blocks together into rows.
2. Sew rows together.
3. Trim 2 inner border strips to 28-1/2" and sew to sides of quilt. Press toward border strips now and throughout.
4. Trim 2 remaining inner border strips to 30-1/2" and sew to top and bottom of quilt.
5. Trim 2 outer border strips to 30-1/2" and sew to sides of quilt.
6. Trim 2 remaining border strips to 34-1/2" and sew to top and bottom of quilt

Quilting and Finishing

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add binding (made from 4—2 1/2" WOF Strips), mitering corners.

