

# **PROJECT: Girl Power Pillow**

Pieced girl blocks hold hands across a comfy lumbar pillow.

INSPIRED BY: Stitching Together from designer Karla Zadnik
QUILT TESTER: Diane Tomlinson



**FABRICS** are from the At Home collection by Cherry Guidry of Cherry Blossoms Quilting Studio for Benartex (benartex.com).



FINISHED PILLOW: 12×24" FINISHED BLOCK: 8" square

#### **MATERIALS**

Yardages and cutting instructions are based on 42" of usable fabric width.

- ☐ 3—5" squares solid brown and peach (pillow front)
- ☐ 3—10" squares assorted florals (pillow front)
- □ ½ yard solid white (pillow front, pillow back)
- □ 1/4 yard house print (pillow front)
- □ 12×24" pillow form

#### **CUT FABRICS**

Cut pieces in the following order.

# From each solid brown or solid peach, cut:

- $\Box$  1–2½" square
- $\Box$  2-1½×2½" rectangles
- $\Box$  2-1½" squares

## From each assorted floral, cut:

- $\Box$  1-3½×8½" rectangle
- $\Box$  1-1½×6½" rectangle

#### From solid white, cut:

- $\square$  2-12½×14¾" rectangles
- $\Box$  6-3½" squares
- $\Box$  9-2½" squares
- $\Box$  6-2½×3½" rectangles
- □ 12-1" squares

# From house print, cut:

 $\Box$  2-2½×24½" border strips

#### ASSEMBLE BLOCKS

Measurements include ¼" seam allowances. Sew with right sides together unless otherwise stated.

Press seams in directions indicated by arrows on diagrams. If no direction is specified, press seam open. **1** For one girl block, gather a set of matching solid brown or solid peach pieces (one 2½" square, two ½"×2½" rectangles, and two ½" squares) and a set of matching assorted floral pieces (one 3½×8½" rectangle and one ½×6½" rectangle). From solid white, gather four 1" squares, two 2½×3½" rectangles, two 3½" squares, and three 2½" squares.

**2** Mark a diagonal line on wrong side of each solid white 1" square and 3½" square.

Align a marked solid white 1" square with each corner of solid brown or solid peach 2½" square (Diagram 1; note direction of marked lines). Sew on marked lines; trim excess fabric, leaving ½" seam allowances. Press open attached triangles to make a head subunit. The subunit still should be 2½" square including seam allowances.

Referring to **Diagram 2**, join solid white 2½×3½" rectangles to head subunit to make head unit. The unit should be 2½×8½" including seam allowances.

E Referring to Diagram 3, sew together solid brown or solid peach 1½" squares and assorted floral 1½×6½" rectangle to make arm unit. The unit should be 1½×8½" including seam allowances.

Align a marked solid white 3½" square with each end of assorted floral 3½×8½" rectangle (Diagram 4; note direction of marked lines). Sew on marked lines. Trim seam allowances to ¼". Press open attached triangles to make dress unit. The unit should be 3½×8½" including seam allowances.

Z Referring to **Diagram 5**, sew together solid white 2½" squares and solid brown or solid peach ½2×2½" rectangles to make leg unit. The unit

should be  $2\frac{1}{2} \times 8\frac{1}{2}$ " including seam allowances.

Referring to **Diagram 6**, sew together head, arm, dress, and leg units to make a girl block. The block should be 8½" square including seam allowances.

**9** Repeat steps 1-8 to make three girl blocks total.

#### ASSEMBLE PILLOW FRONT

**1** Referring to **Pillow Front Assembly Diagram**, sew blocks together in a row; press seams in one direction. The row should be 8½×24½" including seam allowances.

2 Referring to Pillow Front Assembly Diagram, sew house print 2½×24½" border strips to top and bottom of row to complete pillow front; press seams toward border strips. The pillow front should be 12½×24½" including seam allowances.

### **FINISH PILLOW**


Turn one short edge of each solid white 12½×14¾" rectangle under ¼"; press. Turn same edges under ¼" again and stitch in place to make hemmed pillow back pieces. Each hemmed pillow back piece should be 12½×14¼" including seam allowances.


2 Referring to Pillow Back Assembly Diagram, overlap hemmed edges of pillow back pieces by 4" to make a 12½×24½" rectangle. Stitch across overlap to make pillow back.


Layer pillow front and pillow back with right sides together. Stitch a scant 1/4" from outer edges to make pillow cover. Turn right side out.

Insert pillow form through opening to complete pillow.
























Pillow Front Assembly Diagram





Pillow Back Assembly Diagram