



TABBY MOUNTAIN

DESIGNED BY: QUILTED BY:

Tula Pink

Angela Walters

1 FAT QUARTER
BUNDLE:

Tabby Road

BACKING:

QBTP001 *Lipstick*

BINDING:

PWTP069

Strawberry Fields

SOLIDS:



PINK



FUCHSIA



AUTUMN



GOLDFISH



CITRINE



SPRING



AMAZON



FREBL.



TABBY MOUNTAIN

Finished Size: approx. 60" x 74"



MATERIALS

FABRIC:

1 FAT QUARTER BUNDLE

of *Tabby Road*

(you will have 2 extra fat quarters)

1/3 YARD EACH of 8 Solids

2 YARDS 108" Wide Backing

or **5 YARDS 44-45" standard width**


5/8 YARD Binding

68" X 88" Batting


ADDITIONAL TOOLS:




rotary cutter



ruler



scissors



1/4 inch foot



thread



marking tool




sewing machine



iron




ironing board



template plastic

OR



30 degree triangle ruler

TIP:

Use a 30 degree triangle ruler (10 inches or larger) in place of the templates on page 31. Follow the directions in the pattern as written.

CUTTING:

From the template plastic trace and cut one Whole Triangle Template and one Half Triangle Template found on page 31.

* Or use the 30 degree ruler

From each of the 8 solids cut the following:

- One 10" x Width of Fabric (WOF) strip
- Sub-cut the 10" strip to create 11 whole triangles and 2 half triangles

* See FIGURE 1

From each of 24 fat quarters cut the following:

- One 10" x 18" rectangle
- Sub-cut the 10" x 18" rectangle to create 4 whole triangles

* See FIGURE 2

From the binding fabric cut:

bias binding: 290" of 2 1/2" binding

OR


use the remainder of the fat quarters for a scrappy binding!

BEFORE YOU BEGIN:

- Use accurate 1/4" seams throughout construction of the quilt top.
- Press all seams open to create a smooth, flat quilt top.
- Place all fabrics Right Sides Together before sewing.
- When sewing rows together pin at each intersection
- Press after each seam

TIP:

Line up the raw edges of the triangles (RST), jog the ends slightly and sew from the top intersection to the bottom intersection of the two fabrics



When the triangles are pressed and laying flat the fabric should overlap, leaving a 1/4 inch seam allowance from the point of the triangle.

SEWING:

Assemble each row according to the assembly diagram below:

1. Begin each row with a solid Half Triangle.
2. Alternate 12 print Whole Triangles and 11 solid Whole Triangles
3. End each row with a solid Half Triangle
*Each row should measure approximately 60" x 10"
4. Complete all 8 rows
5. Sew row 2 to row 1 and continue adding rows until all 8 rows are sewn together.
6. Quilt. Bind and go make something else!

For quilting inspiration visit *Angela Walter's* blog:

QUILTINGISMYTHERAPY.COM

ASSEMBLY DIAGRAM:






FIGURE 1





FIGURE 2



These templates are designed to be printed at **100%**. Make sure that the page scaling is set to none in Adobe Acrobat before printing. If your printer is capable of border-less printing then choose this option. If this blue box measures 1 x 1 inch on your printed templates then they are full size. You are ready to go!